



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.urpto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/486,116	02/18/2000	HIROSHI MIYAZAWA	0670-225	1535
31780	7590 08/04/2003	•		
ERIC ROBI	NSON		EXAMI	NER
PMB 955 21010 SOUTI	HBANK ST.		PATEL, GAUTAM	
POTOMAC F	FALLS, VA 20165		EXAMINER PATEL, GAUTAM	PAPER NUMBER
			2655	<u> </u>
			DATE MAILED: 08/04/2003	9
			0670-225 1535 EXAMINER PATEL, GAUTAM ART UNIT PAPER NUMBE 2655	4

Please find below and/or attached an Office communication concerning this application or proceeding.

d

· ·	A1:	Applicant/s)	
	Application No.	Applicant(s)	_
	09/486,116	MIYAZAWA ET AL.	\mathcal{Y}
Office Action Summary	Examiner	Art Unit	7
	Gautam R. Patel	2655	
The MAILING DATE of this communication Period for Reply	ation appears on the cover sh	eet with the correspondence address	
A SHORTENED STATUTORY-PERIOD FOR THE MAILING DATE OF THIS COMMUNIC. - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this commun. - If the period for reply specified above is less than thirty (30) of the period for reply is specified above, the maximum statut. - Failure to reply within the set or extended period for reply within the set or extended perio	ATION. 37 CFR 1.136(a). In no event, however, nication. days, a reply within the statutory minimum tory period will apply and will expire SIX (iii), by statute, cause the application to bec	may a reply be timely filed of thirty (30) days will be considered timely. MONTHS from the mailing date of this communication ome ABANDONED (35 U.S.C. § 133).	1.
	t on 22 May 2002		
· — · · · · · · · · · · · · · · · · · ·	<u> </u>		
· · · · · · · · · · · · · · · · · · ·	This action is non-final.		
closed in accordance with the practice Disposition of Claims		al matters, prosecution as to the merits i 35 C.D. 11, 453 O.G. 213.	S
4) Claim(s) <u>1-9,16 and 18-32</u> is/are pend	ding in the application.		
4a) Of the above claim(s) 24-26 is/are	withdrawn from consideration	· I.	
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-5,7-9,16,18-23 and 27-32</u> is	s/are rejected.		
7) Claim(s) <u>6</u> is/are objected to.			
8) Claim(s) are subject to restriction Application Papers	on and/or election requiremer	it.	
9)⊠ The specification is objected to by the E	Examiner.		
10) The drawing(s) filed on is/are: a)) ☐ accepted or b) ☐ objected to	by the Examiner.	
Applicant may not request that any object			
11) The proposed drawing correction filed of	on is: a) ☐ approved b	☐ disapproved by the Examiner.	
If approved, corrected drawings are requi	ired in reply to this Office action.		
12) The oath or declaration is objected to by	y the Examiner.		
Priority under 35 U.S.C. §§ 119 and 120			
13) Acknowledgment is made of a claim fo	or foreign priority under 35 U.S	S.C. § 119(a)-(d) or (f).	
a)⊠ All b)□ Some * c)□ None of:		•	
1. Certified copies of the priority do	ocuments have been received		
2. Certified copies of the priority do	ocuments have been received	in Application No	
	ional Bureau (PCT Rule 17.2)	peen received in this National Stage (a)). Is not received.	
14) Acknowledgment is made of a claim for	·		on).
a) The translation of the foreign langu	uage provisional application h	as been received.	,
Attachment(s)	· •		
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO 3) Information Disclosure Statement(s) (PTO-1449) Paper)-948) 5) 🔲 Noti	view Summary (PTO-413) Paper No(s) ce of Informal Patent Application (PTO-152)	
.S. Patent and Trademark Office PTO-326 (Rev. 04-01)	Office Action Summary	Part of Paper No. 9	

Page 2

Application/Control Number: 09/486,116

Art Unit: 2655

DETAILED ACTION

paper #9

1. Claims 1-9, 16 and 18-32 are pending for the examination.

Election/Restriction

Claims 24-26 are withdrawn from further consideration by the examiner pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species [species other than fig. 1-23], there being no allowable generic or linking claim. Election was made without traverse in Paper No. 5 dated 3-20-03 and paper no. 8, dated 5-27-03.

Applicants have canceled claims 10-15, 17 and 33-52 in paper no. 8, dated 5-27-03. The Applicants are also urged to cancel claims 24-28 and 31-32, as they are being drawn to non-elected species [embodiment two to four] and election in paper no. 5 [of embodiment 1] have effectively removed these claims from further consideration.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 C.F.R. ' 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a diligently-filed petition under 37 C.F.R. ' 1.48(b) and by the fee required under 37 C.F.R. ' 1.17(h).

NOTE: Now claims 1-9, 16, 18-23 and 27-32 remain for examination. Action on these claims follows.

Priority

Receipt is acknowledged of papers submitted under 35 U.S.C. '119(a)-(d), which
papers have been placed of record in the file.

Art Unit: 2655

NOTES & REMARKS

4. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible numerous minor errors. For example in many places number relating to a unit are wrong, line 17, claim 1; Claim 18, line 3 etc. spelling of focusing is wrong in several places in the specification.

Applicant=s cooperation is requested in correcting any errors of which Applicant may become aware in the specification.

Specification

The disclosure is objected for following reasons.

The title of the invention is neither precise nor descriptive. A new title is required which should include, using twenty words or fewer, claimed features that differentiate the invention from the Prior Art. It is recommended that the title should reflect the gist of or the improvement of the present invention.

Correction is required.

Claim Objections

6. Claims 1-9,18-30 and 32 objected for following reasons.

Claim 1, line 17 claims "support means (70)". However same support means is defined as "(78)" in the claims an also in the figures. Also unit "(70)" is defined as chassis.

Similarly in claim 18, line has unit "11122". That unit does not exist.

Claim 30 line 9 has bad spelling.

Corrections are required.

Art Unit: 2655

NOTE: Typographical errors are assumed here and proper interpretation from other indicators are assumed for examination purposes.

Claim Rejections - 35 U.S.C. § 103

- 7. The following is a quotation of 35 U.S.C. '103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

8. Claims 1-2, 4-5, 7-9, 16 and 18-23 and 27-32 are rejected under 35 U.S.C. §103(a) as being unpatentable over Fujisawa, US. Patent 5,497,366 (hereafter Fujisawa).

As to claim 1, Fujisawa discloses the invention as claimed [see Figs. 7-21B, especially 7-11 and 14], including an optical pickup, which has objective spot forming means, a plurality of photodetectors, a chassis, and various support means comprising:

- (a) objective spot forming means (fig. 7, unit 51) for forming each spot of a plurality of light beams entered via a collimator (fig. 7 and 11, unit 83), on each track of a recording medium (fig. 14, unit 1) [col. 8, lines 47-57; col. 13, lines 12-18; and col. 15, lines 50-66];
- (b) a plurality of photodetectors (fig. 11 7 14, units 98 and 99) each provided for each spot for receiving reflected light of each spot, the reflected light having passed through said objective spot forming means, said collimator, and focus adjusting means in this order [col. 15, line 17 to col. 16, line 2]; and

Art Unit: 2655

(c) a chassis (fig. 8, unit 57) mounted with said collimator [col. 13, lines 12-39], wherein said focus adjusting means and said plurality of photodetectors are supported respectively by a focus adjusting means support member (fig. 7, unit 63) and a photodetector support member (fig. 7, unit 79) formed separately from said chassis (57), and the focus adjusting means support member and the photodetector support member are fixed to said chassis at positions along an optical axis [col. 15, lines 8-49; col. 9, lines 39-67];

Fujisawa teaches all of the above elements including photodetectors. Fujisawa does not teach a device for visual confirmation (CCD). "Official Notice" is taken that both the concept and the advantages of >providing for visual displays which can display different light and spot forming are well known and expected in the art. It would have been obvious to include a visual display (CCD) to system of Fujisawa as this display units are known to provide the operator with visual feedback to verify the exact spot being formed on the disc and thereby saving time and money on wrong alignment. These concepts are well known in the art and do not constitute a patentably distinct limitation, per se [M.P.E.P. 2144.03].

- 9. As to claim 2, Fujisawa discloses:
- the plurality of light beams are generated by making light from a light source (fig. 14, unit 80) pass through a diffraction grating (fig. 7, unit 81) [col. 13, lines 12-52].
- As to claim 4, Fujisawa discloses:

an optical axis of the reflected light passing through the collimator is changed to an optical axis toward said focus adjusting means by a beam splitter [fig. 10, unit 82] upon which the reflected light passed through the collimator becomes incident [col. 13, lines 12-23.

As to claim 5, Fujisawa teaches all of the above elements including photodetectors. Fujisawa does not teach a device for visual confirmation (CCD). "Official Notice" is taken that both the concept and the advantages of >providing

Art Unit: 2655

for visual displays which can display different light and spot forming are well known and expected in the art. It would have been obvious to include a visual display (CCD) to system of Fujisawa as this display units are known to provide the operator with visual feedback to verify the exact spot being formed on the disc and thereby saving time and money on wrong alignment. These concepts are well known in the art and do not constitute a patentably distinct limitation, per se [M.P.E.P. 2144.03].

- 12. As to claim 7, Fujisawa discloses:
- said focus adjusting means is made movable between the beam splitter and said photodetectors [col. 12, lines 4-47].
- 13. As to claim 8, Fujisawa discloses: focus adjusting means is moved by being slid on said chassis [col. 12, lines 4-65].
- 14. As to claim 9, Fujisawa discloses all of the above elements including deposition of photodetectors [98 and 99] and focus adjusting means and that they are away from each other by an offset. Fujisawa does not specifically teach that this device placement is related by the well known equation of (y = ax + b where a and b are constants). "Official Notice" is taken that both the concept and the advantages of placing device with y = ax + b formula are well known and expected in the art when offset between two part is involved. It would have been obvious to have placed these two parts which follows the equation y = ax + b, because it would provided guideline for the placement of the parts while being formed in the system and thereby saving time and money on wrong alignment and placement. These concepts are well known in the art and do not constitute a patentably distinct limitation, per se [M.P.E.P. 2144.03].

Application/Control Number: 09/486,116 Page 7

Art Unit: 2655

15. As to claim 16 it is rejected for the similar reasons as set forth in rejection of claim 1, above. As to the added limitation, Fujisawa discloses:

(d) means for adjusting a distance between said focus adjusting means and said photodetectors, wherein said adjusting means includes a first member (72) for supporting said focus adjusting means and a second member (78) supported by said chassis in a slidable manner for supporting said photodetectors, and the distance is adjusted by moving the first member along said chassis [col. 9, lines 39-67] and col. 13, lines 12-63].

16. As to claim 18, Fujisawa discloses:

- (a) a light reflection optical element (fig. 14, unit 14) for reflecting a plurality of light beams incoming along a direction of a first axial line, toward a direction of a second axial line different from the first axial line [col. 15, lines 17-37 and col. 15, line 50 to col. 16, line 19];
- (b) spot forming means (fig. 14, unit 51) for forming a spot of each light beam incoming along the direction of the second axial line from said light reflection optical element, on each track of a recording medium [fig. 14, unit 1] [[col. 15, lines 17-37 and col. 15, line 50 to col. 16, line 19];
- (c) support means (unit 79) for rotatably supporting said light reflection optical element about at least one rotation axial line on a chassis, the rotation axial line passing a reference point (138) which is a cross point between the first and second axial lines [col. 15, lines 12-49];
- (d) fixing means (inherently present) for fixing said light reflection optical element to the chassis [col. 13, line 24 to col. 14, line 17]; and
- (e) reflected light detecting means (units 98 and 99) for detecting reflected light of each spot passed through said spot forming means [col 15, lines 12-37].
- 17. As to claim 19, Fujisawa discloses:
- 19. the rotation axial line includes a rotation axial line perpendicular to both the first axial line and the second axial line [col. 16, lines 2-61].

Application/Control Number: 09/486,116 Page 8

Art Unit: 2655

18. As to claim 20, Fujisawa discloses:

the rotation axial line includes a rotation axial line coincident with the first axial line [col. 16, lines 2-61].

19. As to claim 21, Fujisawa discloses:

the rotation axial line includes a rotation axial line coincident with the second axial line [col. 16, lines 2-61].

20. As to claim 22, Fujisawa discloses:

said support means includes a spherical fitting portion [col. 13, line 64 to col. 14, line 47].

21. As to claim 23, Fujisawa discloses:

light reflection optical element is a triangular prism [col. 14, line 48 to col. 15, line 7]. NOTE: Fujisawa does not use word triangular prism but picture and action of unit are exactly as of a triangular prism.

- 22. As to claim 27, Fujisawa discloses various shapes of support means including concave and convex shapes. Fujisawa does not teach that this particular part has concave and convex spherical portion that can be fitted together. "Official Notice" is taken that both the concept and the advantages of providing concave and convex parts and their fitting are well known and expected in the art. It would have been obvious to include these kind of parts, as these parts are known to fit better with each other because of their mutually fitting shape. These concepts are well known in the art and do not constitute a patentably distinct limitation, per se [M.P.E.P. 2144.03].
- 23. As to claims 28-29 and 31-32. Fujisawa discloses various shapes of support means including various screws bolts washers and related accessories. Fujisawa

Art Unit: 2655

does not specifically teach in detail where each and every screw goes to the extent claimed. "Official Notice" is taken that both the concept and the advantages of providing different screws, bolts and washer in different places for proper attachment of different parts. It would have been obvious to include these kind of parts, and its arrangement in the system of Fujisawa because without proper fixing of parts system will fall apart and will not work. These concepts are well known in the art and do not constitute a patentably distinct limitation, per se [M.P.E.P. 2144.03].

Also arranging parts in different order is well known in the art. It would have been obvious to a person of ordinary skill at the time of the invention to have arranged parts with different connection of bolts and washers. As shown in "In re Japikse 86 USPQ 70 (CCPA 1950)" that to shift location of parts as such is generally not given patentable weight or would have been obvious improvements. Also using different screws, washers etc. does not change the operation of the optical head at all.

- 24. As to claim 30, it is rejected for the similar reasons set forth in the rejection of claim 18, <u>supra</u>.
- 25. Claim 3 is rejected under 35 U.S.C. '103(a) as being unpatentable over Fujisawa as applied to claims 1-2, 4-9, 16, and 18-32 above, and further in view of Noda et al., EPA 316,959 (hereafter Noda).

As to claim 3, Fujisawa discloses all of the above elements including plurality of photodetectors and error and tracking correction. Fujisawa does not specifically disclose well known details of the photodetector layout, such as single beam falling on for sections of a photodetector.

However Noda clearly discloses:

at least one of said plurality of photodetectors includes a plurality of light reception areas for divisionally receiving one light beam [col. 3, lines 7-27 and col. 4, lines 7-25 also fig. 3].

Art Unit: 2655

Both Fujisawa, and Noda are interested in providing smooth signals from the photodetectors and combine proper signal that are reflected back from the photodetectors to control the tracking and focusing with minimum parts.

Therefore, it would have been obvious to provide the system of Fujisawa with divided section photodetecting means and associated details as taught by Noda. The application or use of the divided section photodetecting means as taught by Noda would have been obvious, because the photodetecting means performs the same function in the same way as the photodetecting means of Fujisawa's system, and is an equivalent element. One of ordinary skill in the art would have recognized that the photodetecting means of Noda was equivalent and an obvious alternative to photodetecting means of system of Fujisawa.

NOTE: Fujisawa and Noda were disclosed in IDS, paper no. 6.

Allowable Subject Matter

Claim 6 is objected as being dependent upon a rejected base claim, but would be 26. allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims, and subject to overcoming objection of independent claims.

NOTE: Claim 6 is allowable over the prior art of record since the cited references taken individually or in combination fails to particularly disclose an apparatus which includes optical head which includes a CCD for visual confirmation of light incident upon each photodetector and Athis detecting means (CCD) being disposed on an opposite side of the beam splitter relative to said focus adjusting means@. It is noted that the closest prior art, Fujisawa and Noda shows a similar apparatus which has plural photodetectors and visual confirmation of various light spots are well known in the art. However Fujisawa and Noda fails to discloses placement of CCD as claimed.

Other prior art cited

- The prior art made of record and not relied upon is considered pertinent to 27. applicant's disclosure.
 - Fukakusa et al. (US. patent 5,687,155) "Optical integrating element ..". 1.
 - 2. Ando (US. patent 5,018,127) "Light emitting apparatus ..".

Art Unit: 2655

- 3. Tanaka (US. patent 5,526,340) "electromagnetic objective lens driving apparatus including direct formed circuit pattern".
 - 4. Tezuka et al. (US. patent 5,619,482) "Optical head unit ..".
 - 5. Lee et al. (US. patent 5,699,340) "Method for correcting aberration ...".
 - 6. Mochizuki et al. (US. patent 6,172,958) "Optical pick-up and disk player".
 - 7. Ogawa et al. (US. patent 6,052,357) "Compact optical disk apparatus ..".
 - 4. Fujisawa (US. patent 5,581,533) "Objective lens actuating device ..".
- 5. Takemura et al. (US. patent 4,574,371) "Apparatus for recording and reproducing ...".

Contact information

28. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gautam R. Patel whose telephone number is (703) 308-7940. The examiner can normally be reached on Monday through Thursday from 7:30 to 6.

The appropriate fax number for the organization (Group 2650) where this application or proceeding is assigned is (703) 872-9314.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ms. Doris To can be reached on (703) 305-4827.

Any inquiry of a general nature or relating to the status of this application should be directed to the group receptionist whose telephone number is (703) 305-4700 or the group Customer Service section whose telephone number is (703) 306-0377.

Charles

Gautam R. Patel Patent Examiner Group Art Unit 2655

July 25, 2003